



**STATE OF WISCONSIN**  
 Department of Safety and  
 Professional Services

# Educational Course Application

**Safety and Buildings Division**  
 201 W. Washington Avenue  
 P.O. Box 7082  
 Madison, WI 53707-7082  
**Phone:** (608) 261-8467  
**FAX :** (608)-267-0592  
**Email:** madisoncred@commerce.state.wi.us  
**TDD:** (608) 264-8777

Personal information you provide may be used for secondary purposes [Privacy Law, s. 15.04(1)(m)].

**\*\*\*\*\* If you obtain approval for this course and it is other than a face-to-face training session, you must inform students that they may not retake the same course for credit more than once during the 1-, 2- or 4-year term of their specific credential \*\*\*\*\***

<b>Course Provider Name (Business, School, Institute, Individual, etc)</b> Gary Klinka Building Inspection Inc	<b>Contact Person (If different from provider)</b> Gary or Amy Klinka
<b>S&amp;B Customer Id number (If already provided)</b> 982807	<b>Address No. &amp; Street, or P.O. Box:</b>
<b>Address No. &amp; Street, or P.O. Box:</b> 228 Mandella Court	<b>City, Town or Village, State, Zip + 4 Code:</b>
<b>City, Town or Village, State, Zip + 4 Code:</b> Neenah WI 54956	<b>Telephone No. (include area code):</b>
<b>Telephone No. (include area code):</b> 920-727-9200 or 920-740-6723	<b>If Available, E-mail Address:</b> <a href="mailto:garyklinka@hotmail.com">garyklinka@hotmail.com</a> or <a href="mailto:aklinka@hotmail.com">aklinka@hotmail.com</a>

**Fill in the Course Name/Title:**  
 roof\_falling\_quiz

**Type of course:**  Instructor-led, Face-to-Face Training  
 Student-paced Training (Internet, DVD, Broadcast, Correspondence):  Number of review questions 30

**Total Course Hours: 3 hours (ten questions equal one hour)**

<b>PLUMBING</b>	<input checked="" type="checkbox"/> ___ Master Plumber <input checked="" type="checkbox"/> ___ Master Plumber Restricted Appliance <input checked="" type="checkbox"/> ___ Commercial Plumbing Inspector <input checked="" type="checkbox"/> ___ Utility Contractor	<input checked="" type="checkbox"/> ___ Journeyman Plumber <input checked="" type="checkbox"/> ___ Journeyman Plumber Restricted Appliance <input checked="" type="checkbox"/> ___ UDC-Plumbing Inspector <input checked="" type="checkbox"/> ___ Cross Connection Control Tester
<b>POWTS</b>	<input checked="" type="checkbox"/> ___ Master Plumber Restricted Service <input checked="" type="checkbox"/> ___ POWTS Maintainer <input checked="" type="checkbox"/> ___ POWTS Inspector	<input checked="" type="checkbox"/> ___ Journeyman Plumber Restricted Service <input checked="" type="checkbox"/> ___ Soil Tester Certification (ST)
<b>BUILDING</b>	<input checked="" type="checkbox"/> ___ Commercial Building Inspector <input checked="" type="checkbox"/> ___ UDC-HVAC Inspector <input checked="" type="checkbox"/> ___ Dwelling Contractor Qualifier	<input checked="" type="checkbox"/> ___ UDC-Construction Inspector <input checked="" type="checkbox"/> ___ Manufactured Home Installer
<b>ELECTRICAL</b>	<input checked="" type="checkbox"/> ___ Master Electrician <input checked="" type="checkbox"/> ___ Beginning Electrician <input checked="" type="checkbox"/> ___ Residential Master Electrician <input checked="" type="checkbox"/> ___ Commercial Electrical Inspector	<input checked="" type="checkbox"/> ___ Journeyman Electrician <input checked="" type="checkbox"/> ___ Industrial Journeyman Electrician <input checked="" type="checkbox"/> ___ Residential Journeyman Electrician <input checked="" type="checkbox"/> ___ UDC-Electrical Inspector
<b>ELEVATOR</b>	<input checked="" type="checkbox"/> ___ Elevator Mechanic <input checked="" type="checkbox"/> ___ Lift Mechanic	<input checked="" type="checkbox"/> ___ Elevator Mechanic- Restricted <input checked="" type="checkbox"/> ___ Elevator Inspector
<b>SPRINKLERS</b>	<input checked="" type="checkbox"/> ___ Automatic Fire Sprinkler Contractor <input checked="" type="checkbox"/> ___ Automatic Fire Sprinkler Contractor-Maintenance	<input checked="" type="checkbox"/> ___ Journeyman Automatic Fire Sprinkler Fitter
<b>BOILERS</b>	<input checked="" type="checkbox"/> ___ Boiler Inspector	
<b>INITIAL QUALIFIER</b>	<input type="checkbox"/> ___ Multi-Purpose Piping <b>Initial</b> Qualifier <input type="checkbox"/> ___ POWTS Maintainer <b>Initial</b> Qualifier <input type="checkbox"/> ___ Dwelling Contractor Qualifier <b>Initial</b> Qualifier <input type="checkbox"/> ___ POWTS Restricted Tech Installer Qualifier	<input type="checkbox"/> ___ Cross Connection Control Tester <b>Initial</b> Qualifier <input type="checkbox"/> ___ Soil Erosion Inspection <b>Initial</b> Qualifier <input type="checkbox"/> ___ Manufactured Home Installer <b>Initial</b> Qualifier

## Roof Falling Quiz

### Instructions

Fee \$30

1. Print these pages and [Click Here](#) for the **necessary** OSHA [reference materials](#).
2. Answer the **Simple questions** that closely follow the reference materials in a **consecutive** order.
3. Circle the correct answers and transfer the answers to [the answer sheets](#) (see last 3 pages).
4. After answering the simple questions you will become familiar with the new code changes.
5. Page down to the last page for the [verification form](#), answer sheets and mailing instructions.

### 3 hour course for:

- |   |   |
|---|---|
| 1. Automatic Fire Sprinkler Contractor.             | 15. Journeyman Plumber-Restricted Service |
| 2. Automatic Fire Sprinkler Contractor Maintenance. | 16. Manufactured Home Installer           |
| 3. Beginner Electrician                             | 17. Master Electrician                    |
| 4. Boiler-Pressure Vessel Inspector                 | 18. Master Plumber                        |
| 5. Commercial Building Inspector                    | 19. Master Plumber-Restricted Appliance   |
| 6. Commercial Electrical Inspector                  | 20. Master Plumber-Restricted Service     |
| 7. Commercial Plumbing Inspector                    | 21. POWTS Inspector                       |
| 8. Cross Connection Control Tester                  | 22. POWTS MAINTAINER                      |
| 9. Dwelling Contractor Qualifier                    | 23. Residential Journeyman Electrician    |
| 10. Industrial Journeyman Electrician               | 24. Residential Master Electrician        |
| 11. Journeyman Automatic Fire Sprinkler Fitter      | 25. Soil Tester                           |
| 12. Journeyman Electrician                          | 26. UDC-Electrical Inspector              |
| 13. Journeyman Plumber                              | 27. UDC-HVAC Inspector                    |
| 14. Journeyman Plumber-Restricted Appliance         | 28. UDC-Plumbing Inspector                |
|   | 29. Utility Contractor                    |

Questions: call Amy at 920-727-9200 or 920-740-4119 or 920-740-6723 or email [aklinka@hotmail.com](mailto:aklinka@hotmail.com)

---

### **Reducing Falls During Residential Construction: Roof Sheathing**

1. More than \_\_\_\_\_ of fall deaths in residential construction are caused by falls from roofs.
  - a.  $\frac{1}{4}$
  - b.  $\frac{1}{3}$
  - c.  $\frac{1}{2}$
  - d.  $\frac{3}{4}$
2. Even experienced workers are exposed to unpredictable fall hazards caused by \_\_\_\_\_.
  - a. uneven sheathing
  - b. sudden gusts of wind
  - c. loose materials
  - d. surfaces that become slick when wet
  - e. all of the above
3. The employer must provide a training program for each worker who might be exposed to fall hazards. The program must enable each worker to \_\_\_\_\_ the hazards of falling and train each worker in the procedures to follow to minimize these hazards.
  - a. experience
  - b. simulate
  - c. recognize
  - d. all of the above
4. Pre-planning for the use of fall protection equipment can help employers protect workers from falls. Before beginning the job, focus on identifying fall protection needs. Plan ahead and identify those systems needed to protect workers from falls and have them available \_\_\_\_\_ sheathing process.

- a. during
  - b. before
  - c. after
  - d. all of the above
5. Workers' risk of falling can be greatly reduced if sheathing is installed onto truss sections while the truss sections are on the ground. The truss sections can then be hoisted into place. \_\_\_\_\_ can be pre-installed before the sections are lifted onto the frame.
- a. Peak anchors
  - b. Lifelines
  - c. Body Belts
  - d. both a & b
6. If conventional fall protection cannot be used due to unstable conditions, employers should consider using ladders, scaffolds or aerial lifts until the \_\_\_\_\_ and until a qualified person, as defined by 29 CFR 1926.32(m), determines that the roof can be used as an anchorage point for a personal fall arrest system.
- a. sheathing has been tacked in place
  - b. first row of sheathing has been installed
  - c. first two rows of sheathing has been installed
  - d. first whole piece of sheathing has been installed
7. A \_\_\_\_\_ can be the owner, the supervisor, or any other worker who has extensive knowledge, training and experience with fall protection and is able to solve problems relating to fall protection.
- a. authorized person
  - b. supporting person
  - c. qualified person
  - d. responsible person
8. A PFAS is a tool available to workers during roof sheathing jobs. In fact, a PFAS is the system of choice for many workers at heights. However, a breakdown in any component of a PFAS could be disastrous for a worker. Always follow the \_\_\_\_\_ on selecting, installing and using PFAS components correctly.
- a. authorized person's
  - b. supporting person's
  - c. qualified person's
  - d. manufacturer's instructions
9. A PFAS is designed to safely stop a fall before the worker strikes a lower level. It includes three major components:
- a. An attachment to which the other components of the structure are rigged.
  - b. A full body belt worn by the worker.
  - c. A connector, such as a lanyard or lifeline, linking the harness to the anchorage. A rip-stitch lanyard, or deceleration device, is typically a part of the system.
  - d. all of the above
10. Remember that workers must use \_\_\_\_\_ in fall arrest systems.
- a. full body belts
  - b. full-body harnesses
  - c. both a & b
  - d. none of the above
11. When placing sheathing on trusses, workers should keep sheathing \_\_\_\_\_ them as a barrier to protect themselves from falling between truss openings.
- a. behind
  - b. along side of
  - c. in front of

d. both b & c

12. While fall restraint systems are mentioned in OSHA's fall protection rules, OSHA will accept a properly utilized fall restraint system in lieu of a personal fall arrest system when the restraint system is rigged so that the worker can get to the fall hazard.

a. true

b. false

13. In effect, (if properly used) the system tethers a worker in a manner that will not allow a fall of any distance. A fall restraint system is comprised of \_\_\_\_\_ and other necessary equipment.

a. a body belt

b. a body harness

c. an anchorage or connectors

d. all of the above

14. OSHA requires that anchors for PFAS be able to hold at least \_\_\_\_\_ pounds of weight per person.

a. 2,000

b. 3,000

c. 4,000

d. none of the above

15. OSHA requires that anchors for PFAS be able to maintain a safety factor of at least \_\_\_\_\_ under the supervision of a qualified person.

a. two

b. twice the impact load

c. three

d. both a & b

16. OSHA believes that anchorages available on the market will meet the strength requirements if they are installed as per the manufacturer's instructions, with the right number of properly sized nails or screws through the roof sheathing and into \_\_\_\_\_.

a. two or more roof trusses

b. three or more roof trusses

c. four or more roof trusses

d. none of the above

17. When choosing an anchor to use for fall protection, employers have a number of options; for example:

a. Peak anchor: At the top of the roof, peak anchors are typically solid, non-moving pieces secured to the trusses underneath.

b. Permanent O-rings: Inexpensive O-ring anchors are attached to the truss frame; they should not be left permanently on the roof for future use.

c. both a & b

d. none of the above

18. Employers may be able to use engineered spreaders as anchor points. When installed in accord with the manufacturer's instructions, these devices distribute the force of a PFAS across a single truss. The roof trusses need to be sheathed to use a spreader.

a. true

b. false

19. Employers may be able to use engineered spreaders as anchor points. These engineered anchorage devices are \_\_\_\_\_.

a. not reusable

b. reusable

c. able to be uninstalled and reinstalled quickly

d. both b & c

20. Install an anchor above the area being built: Choose an anchor that is appropriate for the type of roof and anchor location. Depending on the roof design, the best location might be \_\_\_\_\_, directly over a truss.

- a. the truss tail end
- b. a web connection point
- c. at the peak of the roof
- d. all of the above

21. Where practical, employers \_\_\_\_\_ consider leaving anchors in place. This can make the current job simpler and reduce the burden for roofers in the future.

- a. must
- b. shall
- c. may
- d. all of the above

22. Workers may be able to install the \_\_\_\_\_ row of roof sheathing while they are standing on these scaffold systems and leaning over the sheathing.

- a. up to the second
- b. up to the third
- c. up to the forth
- d. bottom

23. If the \_\_\_\_\_ below has been established, A-frame and platform ladders can provide stable work platforms for workers who are installing the first row of sheathing on a roof.

- a. floor joist
- b. roof
- c. floor
- d. all of the above

24. In some situations, safety nets can be placed underneath unshathed trusses to prevent workers from falling between the trusses to the level below. Safety nets must be installed to prevent contact with the \_\_\_\_\_ below them.

- a. surface
- b. structures
- c. both a & b
- d. none of the above

25. While handling material on the roof, the worker should hold the material on the side of his or her body that faces the \_\_\_\_\_ edge to prevent being struck by the materials if they are dropped.

- a. up-sloped
- b. down-sloped
- c. side-sloped
- d. none of the above

26. Establishing a restricted area around the perimeter of the project can also keep workers out of the danger zone where debris, tools or materials may fall to the ground. The area \_\_\_\_\_ be posted with signs that warn of the potential hazard.

- a. may
- b. might
- c. should
- d. all of the above

27. Some employers have found success in eliminating fall hazards by using scaffolds and aerial lifts when site conditions permit their use. Fall protection requirements performed on scaffolds and aerial lifts can be found in Subpart \_\_\_\_– Scaffolds.

- a. X
- b. 29
- c. M
- d. L

28. OSHA Standard: 29 CFR 1926 Subpart \_\_\_\_ – Fall Protection.

- a. X
- b. 29
- c. M
- d. L

29. Written Fall Protection Plans. The plan must also describe the alternative methods that the employer will use so that workers are protected from falls. Workers and their supervisors may be trained on the proper use of those other fall protection methods.

- a. true
- b. false

30. When working at heights of \_\_\_\_\_feet or greater, if the employer does not use ladders, scaffolds, aerial lifts or fall restraint systems and can demonstrate that it is not feasible or would create a greater hazard to use conventional fall protection equipment (guardrails, safety nets or PFAS), the employer must develop a written site specific fall protection plan in accord with 29 CFR.

- a. 2
- b. 4
- c. 6
- d. 10

**Roof Falling Quiz-Answer Sheet**

- |           |           |           |         |           |         |
|-----------|-----------|-----------|---------|-----------|---------|
| <u>1</u>  | a b c d   | <u>11</u> | a b c d | <u>21</u> | a b c d |
| <u>2</u>  | a b c d e | <u>12</u> | a b c d | <u>22</u> | a b c d |
| <u>3</u>  | a b c d   | <u>13</u> | a b c d | <u>23</u> | a b c d |
| <u>4</u>  | a b c d   | <u>14</u> | a b c d | <u>24</u> | a b c d |
| <u>5</u>  | a b c d   | <u>15</u> | a b c d | <u>25</u> | a b c d |
| <u>6</u>  | a b c d   | <u>16</u> | a b c d | <u>26</u> | a b c d |
| <u>7</u>  | a b c d   | <u>17</u> | a b c d | <u>27</u> | a b c d |
| <u>8</u>  | a b c d   | <u>18</u> | a b c d | <u>28</u> | a b c d |
| <u>9</u>  | a b c d   | <u>19</u> | a b c d | <u>29</u> | a b c d |
| <u>10</u> | a b c d   | <u>20</u> | a b c d | <u>30</u> | a b c d |

To obtain your Continuing Education Credits follow the below instructions.

1. Print out first.
2. Fill in all fields applicable.
3. Include your certification or license number if applicable.
4. We'll take care of crediting with the state and sending you back a verification form.

Send by mail

**Fees \$30**

- 1. The answer sheet and this page only.**
2. Fill out this form below completely.
3. Applicable fees by check payable to Gary Klinka.
4. Mail to: Gary Klinka at 228 Mandella Ct Neenah WI 54956.

Office 920-727-9200 Fax 888-727-5704 Cell 920-740-4119 or 920-740- 6723.

Email: [aklinka@hotmail.com](mailto:aklinka@hotmail.com) or [garyklinka@hotmail.com](mailto:garyklinka@hotmail.com)

-----Educational Course Attendance Verification Form -----

Attendee's Name \_\_\_\_\_ Date \_\_\_\_\_

Address \_\_\_\_\_

Credential Number \_\_\_\_\_ Phone# \_\_\_\_\_

Course Title and Name \_\_\_\_\_ Roof Falling Quiz \_\_\_\_\_

List each credential held by attendee \_\_\_\_\_

	Credited Hours	3hrs Fee: \$30
--	----------------	----------------

Email address \_\_\_\_\_ Fax# \_\_\_\_\_

-----

To be completed by Gary Klinka      [www.garyklinka.com](http://www.garyklinka.com)      Gary's credential link [#70172](#)

Course Password \_\_\_\_\_ Course ID# 13 \_\_\_\_\_

Attendee passed the course with a greater than 70% score on Date \_\_\_\_\_

Instructor Signature \_\_\_\_\_